

# Comfortina 39



**Comfortina UK**

[www.comfortina.co.uk](http://www.comfortina.co.uk)

Where dreams become reality

[enquiries@comfortina.co.uk](mailto:enquiries@comfortina.co.uk)

retrospective installations, all lights and electrics in line with DHI regulations, port, starboard, stern and steaming lights, illuminated Silva compass

### **RIG AND SAILS**

- Selden 9/10 triple spreader performance rig keel stepped, Selden boom with single line reefing for 3 reefs. 1 main halyard of rope and wire, 2 genoa halyards also rope and wire, preventers fitted for the competitive sailor, Hasselfors back stay tensioner, windex, Rodkick vang, shrouds and stays of rust free steel cable, North mainsail, North # 3 genoa, mainsail cover

### **GENERAL**

- Fire extinguishers to fore cabin, saloon and engine bay propane gas cylinder in ventilated cockpit locker with electric solenoid cut off. Spare gas bottle, 4 mooring lines, 6 Comfortina fenders, large spray hood, 1 gel coat repair kit, CE certificate, emergency tiller, 10 sail ties, boat handbook and operating instructions

### **OPTIONAL**

- Epoxy primer and anti fouling
- Selden furler (under deck)
- Spinnaker equipment
- Carbon pole
- Gennaker equipment
- Extra spinnaker halyard
- Spectra halyards
- Teak side decks
- Teak to cockpit
- Teak to bathing platform
- Teak cockpit table
- Electric windlass
- H & C shower to bathing platform
- Side gates
- Wind instruments
- Log and depth
- Plotter, radar and VHF
- Masthead tricolour and anchor light
- Shore power and charger
- Hot air central heating
- Refrigeration unit for cool box
- Air conditioning
- Gas strut vang
- Lazy jacks
- Selden luff cars
- Fully battened main
- # 1 Genoa
- # 2 Genoa
- # 4 Genoa

- Storm jib
- Spinnaker
- Bimini
- Cockpit tent
- Microwave
- CD radio with 2 saloon and 2 cockpit speakers
- Awlgrip to mast and boom
- Bow thruster
- Foredeck light
- Burglar alarm
- 3 bladed folding propeller
- Coloured hull
- Racing sails by North

---

Errors & Omissions Accepted

**All enquiries to: Comfortina UK  
Saltmakers House  
Hamble Point Marina  
Southampton  
SO31 4BL**

**T. 02380 456170  
E. enquiries@comfortina.co.uk  
W. www.comfortina.co.uk**






## Comfortina 39 Dimensions

Length overall	11.85 m
LWL	10.88 m
Beam	3.85 m
Draft	2.00 m
Mast height	18.50 m
Displacement	8.00 t
Keel	2.50 t
Engine	Volvo Penta D2-40 40 HP

I =	15.60 m
J =	4.05 m
P =	15.00 m
E =	4.80 m

Mainsail	41.00 m <sup>2</sup>
Genoa #1	50.00 m <sup>2</sup>
Genoa # 3	37.00 m <sup>2</sup>
IMS Spinnaker	100.00 m <sup>2</sup>

Fuel Tank with gauge	150 l
Freshwater with gauge	2 X 180 l
Holding tank	70 l



## CE Certification

Comfortina's are built to Recreational Craft Directive 94/25/EC

The Comfortina 39 is certified to category A Ocean by VTT

## HULL & DECK

### Construction

- Hand laid GRP hull with divynycell sandwich padding along the waterline. Strong frame flooring (stringers) and longitudinal structure of full laminate in the floor area
- An NGA (UV protected) gel coat guarantees a high degree of resistance to fading and imperviousness. No cases of osmosis has been recorded by Comfortina in over 25 years of yacht building
- Standard hull colour is white any other colours are available as an option
- Structural bulkheads and all interior joinery are of teak veneered marine plywood all from one tree giving a uniformed grain
- All non visible surfaces are top coated or varnished for extra protection, including bilges and stowage areas

### KEEL

- The 2.50 ton keel is forged from antimony reinforced lead attached with 10 V4A M20 stainless steel bolts

### RUDDER

- The rudder is of GRP with a 85 mm diameter rudder shaft with self aligning roller bearings

### STEERING

- Jefa steering pedestal with single lever shift

- 140 cm leather covered wheel
- Jefa rack and pinion steering
- Emergency tiller

## DECK & DECK EQUIPMENT

- 2 Andersen 40 ST main sheet winches
- 2 Andersen 46 ST genoa winches
- 2 Andersen 40 halyard winches (ST optional)
- 4 Andersen winch handles
- All halyards led to cockpit via 10 clutches
- 10 Rutgerson blocks at base of mast
- Genoa sheet tracks with cockpit adjustable cars
- S/S chain plates
- 3 deck fittings 2 freshwater 1 waste
- Fuel filler on transom to avoid spillage on deck
- Large spray hood having moulded stowage and cover
- Integral instrument area with 12V socket
- S/S V4A pulpit and pushpit
- Teak toe rail with adequate drains
- 6 S/S mooring cleats
- Teak handrails to coachroof
- Swimming ladder to transom
- 10 S/S V4A stanchions with double lifelines
- Deck is of GRP sandwich construction with divynycell for strength and insulation, anti slip on walking areas. Teak decks are an option
- 2 Lewmar deck hatches, Lewmar skylights in saloon all have mosquito screens, 2 deck ventilators, 4 top hung windows for ventilation, anchor locker, furler if required is below deck, bow roller and fitting for S/S M anchor are of V4A S/S

## COCKPIT

- A large comfortable self draining cockpit with a high coaming, the winches are within reach of the helmsman for short handed sailing.

The helm seat is rounded with lockers either side giving ample stowage and accommodating the gas bottle with drain and ventilation. The port locker is useful for stowage of sheets, guys and lines. The starboard locker gives access to the aft double cabin that can be utilised as a berth, storage or workshop.

- The Lewmar main sheet traveller is the width of the cockpit, the cockpit table (if optioned) is fitted forward of this. The large cockpit is secure at sea, yet spacious for entertaining

## INTERIOR

- Teak interior joinery, vast amount of storage, teak and holly floorboards, concealed strip lighting, bulkhead lights, dimming ceiling lights, choice of furnishings and curtains
- Owners cabin in bow with fully sprung double berth, storage beneath, hanging wardrobe eye level range of cupboards, Lewmar fore hatch, reading and globe light

## HEADS

- Moulded sink with mixer tap/shower, wet locker, eye level locker with mirror, anti algae cartridge built into Jabsco seawater flush WC, shower tray with teak grating, Lewmar opening port

## SALOON

- Teak double leaf table with centre storage, access to deep bilge, water tanks under settee berths together with storage, eye level lockers and book shelves, Lewmar hatch and 2 ventilators

## NAVIGATION CENTRE

- Forward facing full size chart table with storage under, side storage for rolled charts, storage beneath navigators seat, control panel, ammeter, voltmeter, 12V socket, fuel and water read outs, ample space for VHF, plotter and repeaters

## GALLEY

- Corian work surfaces, double stainless steel sink with mixer tap, large top opening cool box, two burner gimbaled cooker with oven and crash bar, drawers for cutlery etc.with chopping board over, deep vegetable storage, cupboards with crockery stowage, waste bin under sinks, Corian covers for cooker and sinks

## AFT CABINS

- Port cabin can sleep 3, fuel tank under, hanging wardrobe and shelves, 2 Lewmar opening ports, reading lights and globe light
- Starboard cabin can be accessed from the cockpit or through the heads, double berth with water heater and storage under, hanging wardrobe and shelves, reading lights and globe light

## ENGINE AND MECHANICAL

- Volvo Penta D2-40 40 HP 4 cylinder freshwater cooled diesel with sail drive and 2 bladed folding propeller, fully sound insulated with front access, fireport and fire extinguisher, engine control panel at helm position, single throttle and gear control

## PLUMBING AND TANKS

- 2 180 litre V2A S/S water tanks with manhole covers and baffles, pressurised H & C system to all taps and shower with electric gauges and switch over valve, all tanks vented, manual bilge pump in cockpit, electric bilge pump on control panel, bronze sea cocks

## ELECTRICS

- 12V DC wiring, with 120 amp alternator, split charging to 3 12V 100Ah domestic batteries, 1 12V 60 Ah dedicated starter battery, control panel has 35 auto fuses, circuit breakers, voltmeter, ammeter, various reserve cables for